

9600388

HHER UNITHERD STRATES OF ANTERRIOR

TO AND TO WHOM THESE; PRESENTS; SHALL, COME;

Hioneer Hi-Bred International, Inc.

LEDECTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, LIPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) adjudged to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE basic seed of the variety in a public repository as provided by ${
m LAW}$, the right to exclude others

A SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, IDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN ng a hybrid or different variety therefrom, to the extent provided by the PLANT $\,$ Variety ION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9294'

In Vertimonn Meters. I have hereunto set my hand and caused the seal of the Plant Pariety Arotection Office to be affixed at the City of Washington, D.C. this thirty-first day of Warch, in the year of our Lord two thousand.

rtary of Agriculture

REPRODUCE LOCALLY. Include form number and date on all	l reproductions.	I		FORM APPROVED - OMB NO. 0581-0055	
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION		The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).			
APPLICATION FOR PLANT VARIETY PROTECTION (Instructions and information collection burden statements)	N CERTIFICATE	c		o determine if a plant varietv protection C. 2421). Information is held confidential C. 2426).	
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2	TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME	
Pioneer Hi-Bred International, Inc.				9294	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and C	Country)		5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY	
700 Capital Square			515/270-3582	9600388	
400 Locust Street		6	. FAX (include area code)	F DATE	
Des Moines, Iowa 50309			515/253-2288	1 XII A 30 1990	
7. GENUS AND SPECIES NAME	8, FAMILY NAME	(Botanical)		G / 1 CU , 1 / / C FILING AND EXAMINATION FEE:	
Glycine max L. Lugur				[s 2450 ao	
9. CROP KIND NAME (Common name)				\$ 100 23 1996	
Soybean				E / 1 (C) 2 - / / / C C CERTIFICATION FEE:	
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGAN Corporation	IZATION (corporation, p	artnership, assoc	lation, etc.) (Common name)	1300	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12	2. DATE OF INCORPORATION	V partition of the state of the	
Iowa			May 6, 1926	"CO4, 18, G7	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO S	SERVE IN THIS APPLI	ICATION AND I	RECEIVE ALL PAPERS	(include area code)	
John Grace	Debra l	Blair (Copy)		515/270-3582	
7300 NW 62nd Ave. 700 Cap				15. FAX (include area code)	
P.O. Box 1004 400 Locus			22.00		
Johnston, Iowa 50131-1004	Des Mo	oines, Iowa 5	0309	515/253-2288	
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Foil	low instructions on re	everse)		·	
 a. Exhibit A. Origin and Breeding History of the Variety b. Exhibit B. Statement of Distinctness 					
c. Exhibit C. Objective Description of the Variety					
d. 🗹 Exhibit D. Additional Description of the Variety					
e. 📝 Exhibit E. Statement of the Basis of the Applicant's Ownership					
f. Voucher Sample (2,600 viable untreated seeds or, for tuber prog. Filing and Examination Fee (\$2450), made payable to "Treasure				naintained in a public repository)	
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD		•	•	on 83(a) of the Plant Variety Protection Act)?	
YES If "yes," answer items 18 and 19 below)		If "no," go to			
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITI GENERATIONS?	ED AS TO NUMBER O)F 19, (F "	YES" TO ITEM 18, WHICH CLASSES	OF PRODUCTION BEYOND BREEDER SEED?	
YES NO			FOUNDATION REGIST		
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN YES (If "yes," give names of countries and dates)	RELEASED, USED, O	FFERED FOR	SALE, OR MARKETED IN THE U.S. (OR OTHER COUNTRIES?	
21. The applicant(s) declare that a viable sample of basic seed of the variety applicable, or for a tuber propagated variety a tissue culture will be depo					
The undersioned applicant(s) is(are) the owner(s) of this sexually reprod Section 41, and is entitled to protection under the provisions of Section				s new. distinct. uniform, and stable as required	
Applicant(s) is(are) informed that false representation herein can jeopard					
SIGNATURE OF APPLICANT (Offiner(s))		SIGNATURE C	F APPLICANT (Owner(s))		
NAME (Mass print or type) D. John Grace III		NAME (Please	print or type)		
CAPACITY OR TITLE DATE	<i>,</i> ,	CAPACITY OR	TITLE	DATE	
Soybean Research Coordinator	120/96				
SD-470 1-95) (Previous editions are to be destroyed)		- 1	oee reverse for instructions an	d information collection burden statement)	

L

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 9294

Variety 9294 evolved from a 1993 cross of (9281/9281/9273/9273/A5403*)

It is an F_2 -derived variety. The F_3 progeny row of 9294 was grown in the winter of 1993-94 in Salinas, Puerto Rico. Subsequently, 9294 has undergone 2 years of testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of yield performance and the Roundup Ready^(TM) gene, 9294 was released for gale.

named. SLS, 20 Sept. 1999

The purification block was grown and 52 sublines were bulked for increase. Forty-five acres of 9294 (breeders seed) were grown in the summer of 1995. Six hundred seventeen acres of parent seedstock (foundation seed equivalent) were grown in the winter of 1995-96 in Chile and an estimated 21,595 bushels will be harvested.

^{*}A5403 transformed with the Roundup Ready(TM) gene.

^{*}Roundup Ready^(TM) gene, Trademark, Monsanto Company.

Exhibit B. Statement of Distinctness

Soybean Variety 9294

Variety 9294 which contains the Roundup Ready^(TM) gene is different from other soybean varieties in that most other soybean varieties do not resist application of glyphosate.

Variety 9294 is similar to 9333 in that they both have tawny pubescence, purple flowers and yellow seeds with black hila color. However, 9333 is resistant to race 1 of Phytophthora root rot (*Phytophthora megasperma* var. *sojae*) and 9294 is susceptible.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) FOR OFFICIAL USE ONLY 7300 N.W. 62nd Ave., P.O. Box 1004 PVPO NUMBER 9600388 Johnston, IA 50131-1004 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., 0 | 9 |). Starred characters 🛨 are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) ★ 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') ★ 4. SEED SIZE: (Mature Seed) Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) 1 ★ 6. COTYLEDON COLOR: (Mature Seed) 1 = Yellow 2 = Green **★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:** 1 = Low 2 = High * 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1 a) 2 = Type B (SP1 b) ★ 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') ★ 10. LEAFLET SHAPE: 3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

Page 1 of 4

Variety Name 9294

		•	
11.	LEAFL 2	LET SIZE: 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12	LEAF	COLOR:	
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
★ 13	. FLOW	/ER COLOR:	
• •	2	A	
		1 = White 2 = Purple 3 = White with purple throat	
★ 14.	POD C	COLOR:	
	2	1 = Tan 2 = Brown 3 = Black	
★ 15.	PLANT	F PUBESCENCE COLOR:	
	2	1 = Gray 2 = Brown (Tawny)	
16.	PLANT	TYPES:	÷
	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')	e de la companya de l
		3 = Bushy ('Gnome'; 'Govan')	
★ 17.	PLANT	HABIT:	
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')	
		3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
·-			
		RITY GROUP:	
	5	1 = 000 $2 = 00$ $3 = 0$ $4 = I$ $5 = II$ $6 = III$ $7 = IV$ $8 = V$	
•		9 = VI $10 = VII$ $11 = VIII$ $12 = IX$ $13 = X$	
★ _{19.}	DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	BACT	ERIAL DISEASES:	
*	Ľ	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
*	1	Bacterial Blight (Pseudomonas glycinea)	
, ★	0	Wildfire (Pseudomonas tabaci)	
	FUNC	GAL DISEASES:	
*	. [1]	Brown Spot (Septoria glycines)	•
		Frogeye Leaf Spot (Cercospora sojina)	
*	0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (Specify)	
•	0	Target Spot (Corynespora cassiicola)	
	0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
		Powdery Mildew (Microsphaera diffusa)	
. *		Brown Stem Rot (Cephalosporium gregatum)	
	لتا	Stem Canker (Diaporthe phaseolorum var. caulivora)	
FORM LMGS	3-470-57 ((6-83) Pag	ge 2 of 4

19.	DISE	DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)								
	FU	FUNGAL DISEASES: (Continued)								
*	1	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)								
	0	Purple Seed Stain (Cercospora kikuchii)								
	1	Rhizoctonia Root Rot (Rhizoctonia solani)								
		Phytophthora Rot (Phytophthora megasperma var. sojae)								
*	1	Race 1 1 Race 2 1 Race 3 1 Race 4 1 Race 5 0 Race 6 1 Race 7								
	1	Race 8 1 Race 9 Other (Specify)								
	VI	VIRAL DISEASES:								
	1	Bud Blight (Tobacco Ringspot Virus)								
	1	Yellow Mosaic (Bean Yellow Mosaic Virus)								
*	1	Cowpea Mosaic (Cowpea Chlorotic Virus)								
	1	Pod Mottle (Bean Pod Mottle Virus)								
*	1	Seed Mottle (Soybean Mosaic Virus)								
	NE	NEMATODE DISEASES:								
		Soybean Cyst Nematode (Heterodera glycines)								
*		Race 1 0 Race 2 1 Race 3 0 Race 4 1 Other (Specify) 14								
		Lance Nematode (Hoplolaimus Colombus)								
*	0	Southern Root Knot Nematode (Meloidogyne incognita)								
, *	0	Northern Root Knot Nematode (Meloidogyne Hapla)								
-	0	Peanut Root Knot Nematode (Meloidogyne arenaria)								
	0	Reniform Nematode (Rotylenchulus reniformis)								
	0	OTHER DISEASE NOT ON FORM (Specify)								
20.	PHYS	HYSIOLOGICAL RESPONSES: (ENTER 0 = Not tested, 1 = Susceptible, 2 = Resistant)								
*	0	Iron Chlorosis on Calcareois Soil								
		Other (Specify)								
21.	NSEC	T REACTION: (ENTE	R 0 = Not tested, 1 = Susceptible, 2 = Re	sistant)						
	0	Mexican Bean Beetle (Epilachna Varivestis)								
	0	Potato Leaf Hopper <i>(Empoasca fabae)</i>								
		Other (Specify)								
22	MDIC		MOST OF OSEIN DESCRIPTION	DISTTER						
ZZ.	22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.									
		RACTER	NAME OF VARIETY 9281	CHARACTER	NAME OF VARIETY					
	Plant S Leaf S		9281	Seed Coat Luster	9281 9281					
			9281	Seed Size						
	Leaf C Leaf S		9281	Seed shape Seedling Pigmentation	9255 9254					

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NÓ.		
		MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD	
	Submitted 9294	109.0	1.0	83			40.1	23.2	12.6	3	
_	Name of Similar Variety 9281	108.3	1.0	74			40.2	23.4	13.1	3	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 9294

In Exhibit C we have identified variety 9294 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 9294 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9294 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 9294 is a late group II variety. If group II varieties are divided into tenths, the relative maturity of 9294 is 2.9.

Exhibit E. Statement of the Basis of Applicant's Ownership

Soybean Variety 9294

Variety 9294 was originated and developed by U.S. plant breeders from whom, by agreement, Pioneer Hi-Bred International, Inc. has obtained exclusive rights to variety 9294. No rights to variety 9294 are retained by the plant breeder or by any other party.